



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/601,222	06/20/2003	Joseph M. Jeddeloh	501176.01	9072

7590 04/25/2007
Edward W. Bulchis, Esq.
DORSEY & WHITNEY LLP
Suite 3400
1420 Fifth Avenue
Seattle, WA 98101

EXAMINER

BROWN, MICHAEL J

ART UNIT	PAPER NUMBER
----------	--------------

2116

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	04/25/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary	Application No.		Applicant(s)	
	10/601,222		JEDDELOH ET AL.	
	Examiner		Art Unit	
	Michael J. Brown		2116	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 February 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-124 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-124 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 April 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>2/9/2007</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement (IDS) submitted on 2/9/2007 was filed. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made, to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
 2. Ascertaining the differences between the prior art and the claims at issue.
 3. Resolving the level of ordinary skill in the pertinent art.
 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
2. Claims 1-124 are rejected under 35 U.S.C. 103(a) as being unpatentable over Leddige et al.(US Patent 6,477,614) in view of Wurzburg et al.(US Patent 5,546,591) further in view of Fung(US PGPub 2005/0177755).

In reference to claims 1, 26, 48, 74, and 100.....

Leddige discloses a system, computer system (computer system 100, see Fig. 1) and method for controlling power, comprising a processor (processor 101, see Fig. 1), an input device (keyboard interface 132, see Fig. 1), operably connected to the processor, allowing data to be entered into the computer system, an output device (audio controller 133, see Fig. 1), operably connected to the processor, allowing data to be output from the computer system, and a memory system (memory 113, see Fig. 1), operably coupled with the processor. Leddige also discloses the memory system comprising a memory controller (memory controller 111, see Fig. 5), a memory bus (first memory bus 500, see Fig. 5) operably coupled with the memory controller to communicate memory commands from the memory controller and communicate memory output signals to the memory controller, and a plurality of memory modules (memory modules 210c, 211c, and 212c, see Fig. 5) operably coupled with the memory bus, the memory modules generating memory the output signals and responsive to the memory commands. Leddige further discloses at least some of the memory modules comprising an insulative substrate supporting a system interface (motherboard 200, see Fig. 2), a plurality of memory devices (memory devices 501, see Fig. 5) disposed on the insulative substrate, and a memory hub (memory repeater hub 520, see Fig. 5) disposed on the insulative substrate and operably coupled with the memory devices and the system interface, the memory hub managing communications between the memory devices and the system interface in response to memory commands received via the system interface.

Art Unit: 2116

However, Leddige fails to disclose the system, computer system, or method comprising an activity sensing device monitoring activity of the memory module in processing memory commands and generating an output corresponding thereto, and a module power controller operable to direct the memory module to a reduced power state responsive to the output of the activity sensing device indicating activity of the memory module is not of a desired level.

Wurzburg et al. teaches an activity sensing device(activity monitor 34, see Fig. 2) monitoring activity of the memory module(peripheral controller 36, see Fig. 1) in processing memory commands and generating an output corresponding thereto, and a module power controller(local power management unit 38, see Fig. 2) operable to direct the memory module to a reduced power state responsive to the output of the activity sensing device indicating activity of the memory module is not of a desired level. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the inventions of Leddige and Wurzburg et al. in order to create a computer system with memory module monitoring means. The motivation to do so would be to establish an ability to conserve power when there is inactivity within a particular memory module.

In reference to claims 2, 27, 49, 75, and 101....

Wurzburg teaches the system, computer system, and method wherein the module power controller directs the memory module to the reduced power state when

Art Unit: 2116

the activity sensing device indicates memory module activity has fallen below the desired level(see column 3,line 66- column 4, line 14).

In reference to claims 3, 28, 50, 76, and 102....

Wurzburg teaches the system, computer system, and method wherein the module power controller directs the memory module to the reduced power state when the activity sensing device indicates memory module activity has exceeded the desired level(see column 3,line 66- column 4, line 14).

In reference to claims 4, 29, 51, and 77, and 103....

Wurzburg teaches the system, computer system, and method wherein the module power controller is operable to determine when the memory module should be directed to the reduced power state responsive to the output of the activity sensing device(see column 3,line 66- column 4, line 14).

In reference to claims 5, 31, 52, 78, and 104....

Wurzburg teaches the system, computer system, and method wherein the module power controller is operable to direct the memory module to the reduced power state upon receiving an external reduced power signal(see column 3,line 66- column 4, line 14).

In reference to claims 6, 32, 53, 54, 79, and 80....

Wurzburg teaches the system, computer system and method wherein the module power controller comprises a master power controller (central power management unit 32, see Fig. 2), the master power controller receiving the output of the activity sensing device from at least one other memory module and, responsive to the output of the activity sensing device indicating activity of the memory module is not of the desired level, generates an external reduced power signal to direct the at least one other memory module to the reduced power state.

In reference to claims 7, 33, 55, 81, and 109....

Wurzburg teaches the system, computer system, and method wherein the memory module is directed to the reduced power state by the module power controller responsive to a single indication the activity of the memory module is not of the desired level reflected in the output of the activity sensing device.

In reference to claims 8, 34, 56, 82, and 110....

Wurzburg teaches the system, computer system, and method wherein the memory module is directed to the reduced power state by the module power controller responsive to a plurality of indications the activity of the memory module is not of the desired level reflected in the output of the activity sensing device (see column 3, line 66- column 4, line 14).

In reference to claims 9, 35, 57, 83, and 111....

Art Unit: 2116

Wurzburg teaches the system, computer system, and method wherein the memory module is directed to the reduced power state by the module power controller when the output of the activity sensing device indicates the memory module has not received memory commands for a predetermined time period. (see column 3, line 66- column 4, line 14).

In reference to claims 10, 36, 58, and 84....

Wurzburg teaches the system, computer system, and method wherein the activity sensing device comprises an activity monitor that monitors memory commands directed to the memory module(see column 3, line 66- column 4, line 14).

In reference to claims 11, 30, 37, 59, and 85....

Wurzburg teaches the system, computer system, and method wherein the activity monitor monitors the memory commands received via the system interface(see column 3, line 66- column 4, line 14).

In reference to claims 12, 60, 86, and 112....

Wurzburg teaches the system, computer system, and method wherein the activity monitor comprises part of the memory hub(system bus 28, see Fig. 2).

In reference to claims 13, 38, 61, 87, and 113....

Leddige in view of Wurzburg discloses the system, computer system, and method as cited and explained above. However, Leddige and Wurzburg fail to disclose the system, computer system, and method wherein the activity sensing device comprises a temperature sensor wherein the temperature sensor is operable to measure when the activity of the memory module is not of the desired level by monitoring temperature.

Fung teaches an activity sensing device(system, see paragraph 0149, sentence 111) comprising a temperature sensor(temperature sensor, see paragraph 0149, sentence 111) wherein the temperature sensor is operable to measure when the activity of the memory module is not of the desired level by monitoring temperature(see paragraph 0149, sentence 111). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the inventions of Leddige, Wurzburg, and Fung to create a computer system with memory module monitoring means depending on temperature. The motivation to do so would be to establish an ability to conserve power when there is an unstable temperature issue within a particular memory module.

In reference to claims 14, 39, 62, 88, and 114....

Fung teaches the system, computer system, and method wherein the temperature sensor is operably coupled with at least one memory device to measure a memory device operating temperature(see paragraph 0149, sentence 111).

Art Unit: 2116

In reference to claims 15, 40, 63, 89, and 115....

Fung teaches the system, computer system, and method wherein the temperature sensor is operably coupled with each of the memory devices to measure an aggregate memory device temperature(see paragraph 0149, sentence 111).

In reference to claims 16, 41, 64, 90, and 116....

Fung teaches the system, computer system, and method wherein the temperature sensor is operably coupled with the insulative substrate to measure a memory module operating temperature(see paragraph 0149, sentence 111).

In reference to claims 17, 42, 65, 91, and 117....

Fung teaches the system, computer system, and method wherein the temperature sensor is operably coupled with the memory hub to measure a memory hub operating temperature(see paragraph 0149, sentence 111).

In reference to claims 18, 43, 66, 92, and 118....

Fung teaches the system, computer system, and method wherein the temperature sensor further comprises an ambient temperature sensor so that a measured temperature of the memory module can be compared to an ambient temperature(see paragraph 0149, sentence 111 and sentence 117).

In reference to claims 19, 67, and 93....

Art Unit: 2116

Leddige discloses the system and computer system wherein the plurality of memory devices comprise a plurality of DRAM devices(see column 2, lines 1-4).

In reference to claims 20, 68, 94, and 119....

Fung teaches the system, computer system, and method wherein the reduced power state comprises a reduced refresh state in which memory cells of the DRAM devices are refreshed less frequently(see paragraph 0149, sentence 111 and sentences 120-123).

In reference to claims 21, 69, 95, and 120....

Fung teaches the system, computer system, and method wherein the reduced refresh state comprises a self-refresh state(see paragraph 0149, sentence 111 and sentences 120-123).

In reference to claims 22, 44, 70, 96, and 121....

Wurzburg teaches the system, computer system, and method wherein the reduced power state is a reduced response mode in which the module power controller limits response of the memory module to memory commands to control power consumption by the memory module(see column 3, line 66- column 4, line 14).

In reference to claims 23, 45, 71, 97, and 122....

Art Unit: 2116

Wurzburg teaches the system, computer system, and method wherein the module power controller limits the response of the memory module to memory commands by mandating idle intervals between responses to memory commands by the memory module(see column 3, line 66- column 4, line 14).

In reference to claims 24, 46, 72, 98, and 123....

Wurzburg teaches the system, computer system, and method wherein the output of the activity sensing device communicates that the memory devices of the memory module currently store no programming instructions and data, and the power management controller causes a plurality of devices of the memory module to be powered off(see column 3, line 66- column 4, line 14).

In reference to claims 25, 47, 73, 99, and 124....

Wurzburg teaches the system, computer system, and method wherein the output of the activity sensing device communicates that the memory devices of the memory module currently store programming information that has not been accessed by the system for an extended period, and the power management controller causes the contents of the memory devices to be saved to a storage device and a plurality of devices of the memory module to be powered off(see column 3, line 66- column 4, line 14).

In reference to claim 105....

Wurzburg teaches the method wherein the outside control device resides in a memory controller(see column 3, lines 35-39).

In reference to claim 106....

Wurzburg teaches the method wherein the outside control device resides in a system controller(see column 3, lines 35-39).

In reference to claim 107....

Wurzburg teaches the method wherein the outside control device resides in a master memory module(see column 3, lines 35-39).

In reference to claim 108....

Wurzburg teaches the method wherein the outside control device for other memory modules resides within the memory module(see column 3, lines 35-39).

Response to Arguments

3. Applicant's arguments filed 2/9/2007 have been fully considered but they are not persuasive. Applicant argues that Wurzburg et al. does not disclose any power management system for memory devices. Applicant further claims that Wurzburg teaches power management units for "peripheral devices" and not "memory devices". Examiner agrees that Wurzburg refers to "peripheral devices"; however, "memory devices" are considered to be "peripheral devices". Wikipedia defines peripheral device

Art Unit: 2116

as..... "In computer hardware, a **peripheral device** is any device attached to a computer in order to expand its functionality. Some of the more common peripheral devices are printers, scanners, **disk drives**, **tape drives**, microphones, speakers, and cameras"(see Wikipedia; http://en.wikipedia.org/wiki/Peripheral_device). Disk drives and tape drives are considered peripheral devices as well they are memory devices, thus memory devices are considered to be peripheral devices.

Applicant also argues that Wurzburg teaches controlling power at the controller level rather than the memory module level. Examiner disagrees as the existing claims does not consist of a limitation where the power management should be represented on the memory module level.

Conclusion

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael J. Brown whose telephone number is (571)272-5932. The examiner can normally be reached Monday-Thursday from 7:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rehana Perveen can be reached on (571)272-3676. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Michael J. Brown
Art Unit 2116


REHANA PERVEEN
SUPERVISORY PATENT EXAMINER
4/23/07